



ETOURING 12.9

3.499,00 €

A dynamic machine courtesy of the 12-speed gear set and high-torque SHIMANO Steps E-7000 motor. Comparatively long ranges are possible thanks to the InTube battery with its 630 Wh capacity.

Frame shape/height

Herren/50 cm
Herren/55 cm
Herren/60 cm
Trapez/48 cm
Trapez/53 cm
Wave/45 cm
Wave/50 cm
Wave/55 cm

Colours

graphite grey matt / red
graphite grey matt / red
graphite grey matt / red
graphite grey matt / red
graphite grey matt / red
graphite grey matt / red
graphite grey matt / red
graphite grey matt / red


Tire size

28 Zoll/inch
28 Zoll/inch
28 Zoll/inch
28 Zoll/inch
28 Zoll/inch
28 Zoll/inch
28 Zoll/inch
28 Zoll/inch





ADDITIONAL INFORMATION



Fr

Frame	Full-Integrated-Steps-Frame Aluminium 6061
Frame shape	Herren Trapez Wave
Frame height	45 cm 48 cm 50 cm 53 cm 55 cm 60 cm
Frame shape/height	Herren/50 cm Herren/55 cm Herren/60 cm Trapez/48 cm Trapez/53 cm Wave/45 cm Wave/50 cm Wave/55 cm
Fork	SUNTOUR "SF19-NEX E25 NLO", einstellbar, Lockout, 63mm Travel, Tapered, DISC
Colours	graphite grey matt / red
maximum weight allowed	140 kg



Drive system	SHIMANO
Motorposition	Mittelmotor
Motor	SHIMANO Mittelmotor "E7000", 250 W Nenn-Dauerleistung
Energy content	SHIMANO Lithium-Ionen mit BMS, 36 V, 17,5 Ah, 630 Wh
Battery capacity	630 Wh
Display	SHIMANO "SC-E6100" LCD, Bluetooth, Remote Control, Walk assist
Sensor	Tretkraftmessung im Motor + Geschwindigkeitssensor
Support up to	25 km/h



Handlebars	ERGOTEC "Low Riser Bar", 720 mm, Ø 31,8 mm, schwarz
Stem	ERGOTEC "Sepia 50", Ø31,8 mm, verstellbar, schwarz
Handlebar grips	CONTEC "Tour Wing"
Saddle	SELLE ROYAL "ESSENZA" Italy, Moderate Female SELLE ROYAL "ESSENZA" Italy, Moderate Male SELLE ROYAL "ESSENZA" Italy, Relaxed
Seat Post	ERGOTEC Patent "SP10", gefedert, Ø 27,2 mm, Alu



Brake

Brake	SHIMANO "BR-MT420/410"
Brake lever	SHIMANO "BL-MT501"



Wheels

Front-wheel hub	SHIMANO "HB-M8000", 36 L., QR, Disc, Center Lock
Rear-wheel hub	SHIMANO "FH-MT401", 32 L., QR, Disc, Center-Lock
Wheel rims	Hohlkammer "X-6 DISC", Alu
Tyres	SCHWALBE "Marathon GT Tour", 47-622, Reflex
Tire size	28 Zoll/inch
Spokes	2,0 mm, Niro, black



Shifting system

producer shifting	SHIMANO
Shifting system	Kettenschaltung
Gears	12
Shifting	1×12-Gang SHIMANO "Deore"
Gear shift	SHIMANO "Deore SL-M6100"
Rear derailleur	SHIMANO "Deore RD-M6100", 12-fach
Chain / Belt	KMC "X12E"
Sprocket	SUNRACE "CSMZ8" 11-51 Z. black



Lights

Front light	CONTEC "Dlux 80 E+" 80 Lux
Rear light	CONTEC "TL-335 E-Stop", mit Stoplicht



Extras

Rack	MIK-ALU-GEPÄCKTRÄGER "TA7653A" MIK-System
Chainguard	HESLING "VELO", Steps, schwarz matt
Pedals	UNION "SP-828", Alu, Antislip
Locks	CONTEC "Powerloc M AZ"
Mudguards	CURANA "Apollo", 55mm, schwarz matt, Spoiler
Kick stand	URSUS "King2", für Victoria Hinterbau, 40 mm, verstellbar